sted by Shief y NIB to Field Office	
ASAN FEHEL	enthal
poroval Letter	
pprova ici	
ation illispecial	***************************************
स्मिक्त स्मिक्त प्रमाप्त स्मिक्त्य	
GRAN	icro
	ern menter of tests of the control o

Publica Stack #425 7865 9/28/65 - Charles Ramey - Puber Mein test in Lisbon area.

1. O nost monday

Comments to suffer on the set Spal not morly May have to set USGS-OKO NENW see 24 T30 S R25E within Beg Indea Unit > Harman De Long Sulling and Dell. BORT 11, 400 T.D. Willed Vermen - Part Pen Will Be aporter Ratif Men Well will coment of Wrottels -> 100 ft routh

Wrottels -> 100 ft routh

Price Lette of Affrical

Withhal area. and section in not in potosh

October 1, 1965

Mr. Jerry W. Long United States Geological Survey P. O. Box 1809 Durango, Colorado

> Re: Big Indian Unit Well #6 San Juan County, Utah

Dear Jerry:

We are enclosing, in triplicate, our Notice of Intent to Drill for the subject well. It has been signed, but as previously discussed with you, the exact footage for the well location and the elevation has been left blank.

As I told you, the party who staked our location and completed other surface work for us failed to certify his plat which should have been attached to the enclosed forms. In addition, after having received his plat, we found that he had not run an elevation. On top of this, because of topographic reasons, the location was moved approximately 71 feet to 80 feet south-southeasterly. When we attempted to have Mr. Hagen perform the additional necessary work, including preparation of corrected plats properly certified, we learned that Mr. Hagen was in the hospital for a major operation and consequently could not perform the required service.

A copy of the plat which he prepared is enclosed for your information. We have since contacted Mr. Robert H. Ernst of your city, and although he was unable to get over into Utah today, he agreed to make the trip in the morning (Saturday, October 2). Mr. Ernst will verify the work already performed, and run the necessary elevation and determine the exact footage of the well location and will complete and certify plats as required by your office. We have requested Mr. Ernst to furnish your office with these plats Monday morning, October 4. Mr. Ernst agreed that he would complete the Notice of Intent to Drill with respect to the omitted footage and elevation figures.

By copy of this letter to Mr. Ernst, we are requesting that he provide us with six additional plats, copies of which will immediately be transmitted to the State of Utah regulatory body for

Mr. Jerry W. Long

-2-

October 1, 1965

their approval. As with your office, the State of Utah has given us verbal approval for commencement of the well. We sincerely appreciate your cooperation and forbearance in this matter, and we apologize for any inconveniences that we may have created.

Yours very truly, Original Signed By Orin C. Crene

Orin C. Crane Records Supervisor

000:sb


Enclosures

cc: Mr. Cleon B. Feight

Executive Director and Secretary
Utah Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City, Utah

Mr. Robert H. Ernst P. O. Box 177 Durango, Colorado





(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Salt Lake City
Lease No	U-031077
Unit	Big Indian

Sec. 24

SUNDRY NOTICES A	ND	REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	X s	JBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		BSEQUENT REPORT OF WATER SHOT-OFF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	l li	BSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.		BSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.		BSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING.		IPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	i	TEMENTARY WELL HISTORY
	11	
(INDICATE ABOVE BY CHECK MARI		OF REPORT, NOTICE, OR OTHER DATA)
		October 1 , 19 <u>65</u>
		line and $\frac{2105}{1}$ ft. from $\left\{\begin{matrix} \mathbf{R} \\ \mathbf{W} \end{matrix}\right\}$ line of sec. 24
NEZNWZ Sec. 24 30 South		
Big Indian San Juan (Field) (County	or Subdiv	Utah (State or Territory)
The elevation of the derrick floor above sea le		
DETA	ILS O	F WORK
(State names of and expected depths to objective sands; show sing points, and all	zes, weigł other imp	ts, and lengths of proposed casings; indicate mudding jobs, cement- ortant proposed work)
or 7 7/8" hole will be drilled under csg. if productive. All pay zones a Shows will be tested and/or cored as	13 3, csg. 10 3, nd the neces	/4" hole will be drilled from surface cemented to the surface. An 8 3/4"
I understand that this plan of work must receive approval in Company Pubco Petroleum Corporat		by the Geological Survey before operations may be commenced.
Address P. O. Box 1419		
Albuquerque, New Mexico 87103		By
		Frank D. Gorham, Jr. Title Executive Vice President

	BIG INDIA	N UNIT	AREA				Lease	No
cation 6651	PROM THE	NORTH I	INE & 2	1051	FROM T	HE WES	T LINE	
ing in NE W								
. <u>24</u> , ⊤30 s	R 25 E, S	5.L.M.,	San Ju	an Co	unty,	Jt ah		
ound Elevation	65121							
			14	·	1			
	- -	_/	9		1			
	< 	5	> 0		 		- 	
	· · · · · · · · · · · · · · · · · · ·				ļ		-	
	1		1				1	
	- + -	+ -	+		 		+	
	1			٥.	1		1	
			Sec.	24			+	
					1			
					I		1	Z
			-		· 		+	
					1		†	
	_ + _	+	+		+		+	
			1					
Ļ					1	<u> </u>	. (1
		ocale	4 inches	equals	I mile			
urveyed 20								

Ernst Engineering Co. P. O. Box 177 Durango, Colorado 81302 SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of Land Management, holder of oil and gas lease

DISTRICT LAND OFFICE:

Utah

SERIAL NO.:

031077

and hereby designates

NAME:

Pubco Petroleum Corporation

ADDRESS:

P. O. Box 1419, Albuquerque, New Mexico

as his operator and agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 30 South, Range 25 East, S.L.M. Section 24: NW

But only insofar as relates to rights, depths and forma-

tional members lying below the top of the Paradox Salt.
It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

UNION OIL COMPANY OF CALIFORNIA

Íts Attorney-in-Fact

September 22, 1965

1700 Broadway, Denver, Colorado

Submit in quadruplicate

DESIGNATION OF AGENT

Supervisor, Oil and Gas Operations:

The	undersigned	is, on th	e records	of th	ie Geolo:	gical	Sur	vey,
Unit Operator	under the _	Big In	dian			unit	agro	eement,
San Juan	,		unty,	U	tah			(state),
No. 14-08-00	01-8194 app	proved	July	6,	1962	a	nd 1	hereby
designates:								

NAME: PUB

PUBCO PETROLEUM CORPORATION

ADDRESS: P. O. Box 1419, Albuquerque, New Mexico

as its agent, with full authority to act in its behalf in complying with the terms of the Unit Agreement and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to drilling, testing and completing unit well No.

6 , in the NE 2NW 2 sec. 24 , T. 30S., R. 25E., S.L.H. . , SanJUAN County, Utah .

It is understood that this designation of agent does not relieve the Unit Operator of responsibility for compliance with the terms of the unit agreement and the Oil and Gas Operating Regulations. It is also understood that this designation of agent does not consitute an assignment of any interest under the unit agreement or any lease committed thereto.

In case of default on the part of the designated agent, the Unit Operator will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The Unit Operator agrees promptly to notify the oil and gas supervisor of any change in the designated agent.

This designation of agent is deemed to be temporary and in no manner a permanent arrangement.

This designation is given only to enable the agent herein designated to drill the above-specified unit well. Unless sooner terminated, this designation shall terminate when there is filed in the appropriate district office of the U.S. Geological Survey a completed file of all required Federal reports pertaining to subject well. It is also understood that this designation of agent is limited to field operations and does not cover administrative action requiring specific authorization of the Unit Operator.

Union Oil Company of California

Unit Operator

J. W. Luckett, Jr.

ITS ATTORNEY IN-FACT

September 27, 1965

Date

PUBGO PETROLEUM GORPORATION

H3O)XX 1419)

ALBUQUERQUE, NEW MEXICO 87103

TELEPHONE (505) 247-8836 (505) 247-8837

October 4, 1965

Mr. Cleon B. Feight
Executive Director and Secretary
Utah Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City, Utah

Re: Big Indian Unit Well #6 San Juan County, Utah

Dear Mr. Feight:

As indicated by our letter of October 1, we now enclose herewith two copies of our Notice of Intent to Drill as has been filed with the United States Geological Survey.

We understand that these enclosures constitute all filings necessary with respect to your office; but if we are mistaken, please advise as soon as possible and we shall comply.

Yours very truly,

Records Supervisor

OCC:sb

Enclosures

SPEED LETTER

TO Pubco Petroleum Corporación
P. O. Box 1419
Albuquerque, New Mexico

FROM Oil & was Conservation Commission 348 East South Temple Suite 301 Salt Lake City, Utah

SUBJECT Well No. Big Indian Unit #6, Sec. 24, T. 30 S., R. 25 E., San Juan County, Utah

---FOLD

MESSAGE

DATE 16-13-65 to

It has come to the attention of this office that you may want the above mentioned well held confidential.

Please advise. If we do not hear from you by October 22, 1965, we will assume that you do not want it held confidential.

SIGNED Jolewilla 716 Occh

REPLY

DATE

19

-FOLD

SIGNED



RIG SAFETY INSPECTION

Maile of Company POROPETROLEUM CORPORATION Date October 66, 1968
Name of Drilling Contractor WORGAN GROTHER DELLING COPANY
Well Name and Number SIG INDIAN UNIT 46 Rig No. 3 Field Mississipp
Section 24 Twonship 30 Range 25 E
County SAN JUAN Driller CURTIS WHILIAMS
Number Present 4 Toolpusher L. C. FOLLWAN
Date of last lost-time accident NO LOST TIME ACCIDENT
Items causing lost-time accidents that have been corrected, or which need to be correct
NONE
Accidents or near accidents that have recently occured on rig. BAD FIRE ON LOCATION
IN ONOTHER STATE
Any new employees in crew KONE Have instructions been given the new crew members y
(Good) (Poor) Yes No
Escape Line and Slide
Ladders, Side Rails, Steps
Engines Guarded
Rotary Drive Guard
Fire Hazards Controlled
General Housekeeping
First Aid Kit
Blowout Preventer
Cellar Clean, No Debris
Unsafe practices that might cause a mishap, and recommendations made for a safe method
of doing the job NONE VISIBLE
Drillers, Toolpushers or Drilling Superintendents reactions COFERATIVE
Remarks * Tet 1300° of 16 3/4° surface pipe and rigging up at the time of inspection
Coment was circulated to surface.
Donuty Inquestor Paul W. Surchell. Chief Petrology Frederics - 18th Cit and Conference of the

U **TED STATES**

SUBMIT IN TRI

Form approved.

SUNDRY NOTICES AND REPORTS ON WELLS The not use this form Appropriate to the providence of the section of the	DEPAR	TMENT OF THE INTERI	OR (Other Instructions on reverse side)	Budget Bureau No. 42-R14: 5. LEASE DESIGNATION AND SERIAL NO	<u>'4</u>
(Do not use the Organ SPECIAL SATE ACTUAL COURTS OF PRESENTED AND BROKEN AND MINISTERS AND SECRETARY OF PRESENTED AND SECRETARY OF PRESENTED AND SECRETARY OF PRESENTED AND SECRETARY OF PRESENTED AND SECRETARY AND		GEOLOGICAL SURVEY		U-031077	
OTHER OTHER 2. Simes of overlander Pulce of Petroleum Corporation 3. Accesses of overlander P. O. Box 14-19, Albuquerque, New Mexico 67103 4. Lorantin of with Capper location clearly and in accordance with any State requirements. All statements All proper location clearly and in accordance with any State requirements. All princes 665; from the North and 2105; from the West Sec. 24-T303-R276, SIM 13. MEXATORS (Show whether Dr. Nr. 08, dec.) (652) Gr. 30, december 18, simple states of the s	SUNDRY NO (Do not use this form for proj Use "APPLI	DTICES AND REPORTS Coposals to drill or to deepen or riug by ICATION FOR PERMIT—" for such pr	ON WELLS ack to a different reservoir. oposals.)	6. IF INDIAN, ALLOTTED OR TRIBE NAM	E
P. O. Box 1419, Albuquerque, New Mexico 87103 4. General of vertical control of certification desired and in scoredance with any State requirements. 4. General of vertical control of certification desired and in scoredance with any State requirements. 4. The state of the control of certification desired and in scoredance with any State requirements. 4. D. Fills AND TOOL, OL WILDOLT 4. Sec. 24-T303-R25E, SIM 4. Sec. 24-T303-R25E, SIM 4. PREMITE NO. 5. CONTROL OF RANKE AND STATES COMING FILL CONTROL OF RANKE AND STAT	OIL X GAS				_
8. ADDRESS OF OPERATORS P. O. BOX 1419, Albuquerque, New Mexico 87103 4. Sociation or wast. Resport location density and in accordance with any State requirements. 665' from the North and 2105' from the West Sec. 24-T30S-R25E, SIM 16. Check Appropriate Box To Indicate Noture of Notice, Report, or Other Data NOTICE OF INTERTED TO: NOTICE OF INTERTED TO: SOUTH OF INTERTED TO: THAT WATER SHOT-OFF FRACTURE TRACE REPAIR WHILL (Other) 17. DESCRIPT OF STATES REPAIRING ORISING REPAIRING ORISING (Other) 17. DESCRIPT OF STATES REPAIRING ORISING REPAIRING ORISING (Other) 17. DESCRIPT OR STATES REPAIRING ORISING REPAIRING ORISING REPAIRING ORISING (Other) 17. DESCRIPT OR STATES REPAIRING ORISING REPAIRING ORISING (Other) 18. OTHER SHOT-OFF PROCECULAR CONFIDENCE OR CONFIDENCE OR CONFIDENCE OR CONFIDENCE REPAIRING ORISING (Other) 19. OTHER SHOT-OFF PROCECULAR CONFIDENCE OR CONFIDENCE O	2. NAME OF OPERATOR				-
P. O. Box 1419, Albuquerque, New Mexico 87103 4. Increme for wall Report location clearly and in accordance with any State requirements. 4. Increme for wall Report location clearly and in accordance with any State requirements. 4. Increme for wall Report location clearly and in accordance with any State requirements. 4. Increme for wall Report location clearly and in accordance with any State requirements. 4. Increme for the North and 2105' from the West Sec. 24-T30S-R25E, SIM 5. Sec. 24-T30S-R25E, SIM 5. Sec. 24-T30S-R25E, SIM 6. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Date NOTICE OF INTERVENTOR TO: THAT WATER BIUC-OFF PRACTICE TRADET THAT AND MULTIFLE COMPLETE SECAL WATER BIUC-OFF TRACTICE TRADET THAT AND MULTIFLE COMPLETE SECAL WATER BIUC-OFF TRACTICE TRADET TRADET SHOULD CHARGE		oration	•		
4. DOLERON OF WELL (Report location clearly and in accordance with any State requirements. 665; from the North and 2105; from the West Sec. 24-T303-R25E, SIM 13. PERMIT NO. 15. SEPARTONS (Show whether Dr. R. OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERVETOR TO: 18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERVETOR TO: 18. THE WATER SHUTOUT PRACTICE CHANGE PRACTICE CHANGE PRACTICE TRANSPORTER PRACTICE		querque. New Mexico 87	103		
665' from the North and 2105' from the West Sec. 24-T30S-R25E, SIM 14. PERMYN NO. 15. REPARTONS (Show whether Dr. Nr. OR. (40.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Sam Juan 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Sam Juan 17. OKTICE OF INTERVENCE TO. 18. SEPARE WILL-STATE REPORT OF PRACTURE THAT AREA SHOPOOF PRICE COMPLETE TO PRACTURE THAT AREA SHOPOOF OR ACCURATE OR ACCURATE OR ACCURATE THAT AREA SHOPOOF OR ACCURATE OR ACCURATE THAT AREA SHOPOOF OR ACCURATE OR ACCURATE THAT AREA SHOPOOF OR ACCURATE OR ACCURATE OR ACCURATE OR ACCURATE OR ACCURATE OR ACCURATE OR ACCURA	4. LOCATION OF WELL (Report location See also space 17 below.)	a clearly and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT	_
Sec. 24-T303-R25E, SIM 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT. GR. etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERVION TO: THEST WATER SHUT-OFF PEATURE TRADE SHAPE SHOOT OR ACHIEF ARAN WELL (Other) 17. INTERVIOUS TRADE CRAFT SHOOT OR ACHIEF ARAN WELL (Other) 18. INTERVIOUS TRADE CRAFT SHOOT OR ACHIEF ARAN WELL (Other) 19. INTERVIEW OF INTERVIOUS OR ACHIEF CASING SHOOT OR ACHIEF ARAN WELL (Other) 10. INTERVIEW OF INTERVIEW OF INTERVIOUS OF INTERVIEW OR ACHIEF CASING SHOOT OR ACHIEF ARAN WELL (Other) 11. INTERVIEW OF I	the and the		•	11. SEC., T., R., M., OR BLE, AND	_
14. PERMIT NO. 15. ELEVATIONS (Show whether BP, NT, OR, etc.) 12. COUNTE OF NARING 13. STATE 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. NOTICE OF INTERVENCY TO: SUBBROUGHT BEFORE OF: 17. STATE SHUT-OFF PULL OR ALTER CARING SHOOTER OR ACCUSED THAT 17. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE CHANGE PLANE CHANGE PLANE 17. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE CHANGE PLANE 18. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 19. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE CHANGE PLANE 10. DESCRIPTION PRODUCED OR COMPLETE OF SHANE 10. DESCRIPTION OR COMPLETE OF SHANE 10. DESCRI	Sec. 24-T308-R25E ST	and 2105' from the West	tie te		
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERESTOR TO: **REPAIRING WELL** **PROCEDURE TRANSPORT BEFORE OF: **PROCEDURE TRANSPORT TRANSP	The second secon	· · · · · · · · · · · · · · · · · · ·	RT. GR. etc.)	Sec. 24-T308-R25E, SIA	<u> </u>
NOTICE APPROPRIES BY 10 indicate Notice, Report, or Other Data NOTICE APPROPRIES NOTE: SUBSEQUENT REPORT OF: SU			,,,	1 L 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
SUBBRQUENT REPORT OF: THEST WATER SHUT-OFF PELL OR ALTER CARNO PRACTURE TREAT MULTIPLE COMPLETE SHOOTING OR ACTIONS (Other) (Other	16. Check A	Appropriate Box To Indicate N	ature of Notice Parent or C		
PEAL WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDER REPAIR WELL CHANGE FLANS CHANGE CHANGE REPAIR WELL CHANGE FLANS CHANGE REPAIR REPAIR REPAIR OF SAME REPAIR WELL ADARDONMENT ADARDONMENT ADARDONMENT REPAIR REPAIR WELL ADARDONMENT ADAR					
MULTIFLE COMPLETE SHOUT OR ACTIVER SHOUT OR ACTIVER ABANDOS* SHOUT OR ACTIVER CHANGE PLANS CHA	TROT WATER GEVILLORS	NVV 07 11	l – –	T T T T T T T T T T T T T T T T T T T	
SHOOT OR ACTIVED REPAIR WELL CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS (Other) (Other) (Other) (Nore: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. INSKURBE PRODUCED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and ever pertinents, including cestimated date of starting any nent, to this work). 10/12/65 Drilled 20" hole to 40'. Set 1 jt. 16" conductor at 40'. Cemented with ready mix to surface. 10/19/65 Drilled 13 3/4" hole to 1218'. Set 40 jts. 10 3/4", 32.75# H-40 and 40.5# J-55 csg. @ 1213'. Cemented w/150 sx. 2/1 Pox-Reg, 1/2 cu ft. stratacrete, 2 calcium chloride and 100 sx. regular, 2 gel, 2 calcium chloride. Circulated approx. 50 sx. Press, test csg. to 1000 psi for 30 min - 0.K. WOC 24 hrs. Plug down @ 7:30 FM, 10/19/65. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use)	No destination of the			T	
(Other) (Ot					
10/12/65 Drilled 20" hole to 40'. Set 1 jt. 16" conductor at 40'. Cemented with ready mix to surface. 10/12/65 Drilled 13 3/4" hole to 1218'. Set 40 jts. 10 3/4", 32.75# H-40 and 40.5# J-55 csg. @ 1213'. Cemented w/150 sx. 2/1 Pox-Reg, 1/2 cu ft. stratacrete, 2 calcium chloride and 100 sx. regular, 2 gel, 2 calcium chloride. Circulated approx. 50 sx. Press. test csg. to 1000 psi for 30 min - 0.K. WOC 24 hrs. Plug down @ 7:30 PM, 10/19/65. 18. I hereby conditions Signesupass, true and correct SIGNED CHARLES E. RAMSEY. JR. TITLE Area Production Manager DATE October 25, 1965. TITLE APPROVED BY	REPAIR WELL	CHANGE PLANS			
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) 10/12/65 Drilled 20" hole to 40'. Set 1 jt. 16" conductor at 40'. Cemented with ready mix to surface. 10/19/65 Drilled 13 3/4" hole to 1218'. Set 40 jts. 10 3/4", 32.75# H-40 and 40.5# J-55 cag. @ 1213'. Cemented w/150 sx. 2/1 Pox-Reg, 1/2 cu ft. stratacrete, 2% calcium chloride and 100 sx. regular, 2% gel, 2% calcium chloride. Circulated approx. 50 sx. Press test cag. to 1000 psi for 30 min - 0.K. WOC 24 hrs. Plug down @ 7:30 PM, 10/19/65. 18. I hereby con Description Company, true and correct SIGNED CHARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965. (This space for Federal or State office use)	(Other)		(Note: Report results Completion or Recompl	of multiple completion on Well	
gel, 2% calcium chloride. Circulated approx. 50 sx. Press test csg. to 1000 psi for 30 min - 0.K. WOC 24 hrs. Plug down @ 7:30 PM, 10/19/65. 18. I hereby con Press true and correct SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager Date October 25, 1965 (This space for Federal or State office use)	with ready	mix to surface.			
test csg. to 1000 psi for 30 min - 0.K. WOC 24 hrs. Plug down @ 7:30 PM, 10/19/65. 18. I hereby cer	and 40.5# J 1/2 cu ft.	J-55 csg. @ 1213'. Cem	mented w/150 sx. 2/1	32.75# H-40 Pox-Reg,	
18. I hereby con Company of the and correct SIGNED CHARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use)	co get, co	carcium chioride. Cir	rculated approx. 50 s	x. Press.	-
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE	@ 7:30 PM,	10/19/65.	· · · · · · · · · · · · · · · · · · ·	LTOR GOMD	
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE					
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE					
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE					
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE					
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE					
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE		4			
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE	•				
SIGNED HARLES E. RAMSEY, JR. TITLE Area Production Manager DATE October 25, 1965 (This space for Federal or State office use) APPROVED BY TITLE	18. I hereby cer a igiticah Sioneraina	is true and correct			_
(This space for Federal or State office use) APPROVED BY	CHARLES E. RAMSEY		Production Manager	рать October 25. 196	5
APPROVED BY TITLE DATE	(This space for Federal or State of	ffice use)			=
	APPROVED BY	ANY · TITLE		DATE	_



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

I I	Form ap: Budget F	proved. Bureau No	. 42-R356.5.
AND OFFICE	Salt	Lake	City
EASE NUMBER			
JNIT	Big	Indiar	1

LESSEE'S MONTHLY REPORT OF OPERATIONS

 Р1	tone.	aaar	ess	1 ibuc 247-1	querqu 3835	e, New Mex	mpany . ?ned ent's title :	Area Prod	leum Corporation		
Si	EC. AND	Twe.	RANGE	WELL No.	Дата Рвориско	Barrels of Oil	GRAVITY	Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE I	W 24	3 0S	25E	6							Spud 10-11-65 Drilling @ 3279'
								<i>(</i>			
											, , , 9 f
ıl ⁱ											
								-	·		

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Ph.

November 3, 1965

MEMO FOR FILING

Re: Pubco Petroleum Corporation
Well No. Big Indian #6
Sec. 24, T. 30 S., R. 25 E.,
San Juan County, Utah

Upon checking the above location on October 20, 1965, the operator had just completed setting 1200° of 10 3/4" surface pipe. The cement was circulated to surface and they were presently waiting on it.

It should be noted that the routine safety inspection was discontinued for a later date because the contractor was still in the process of rigging up.

This well is only a unit well if production is encountered in the Hermosa Formation. However, the Company plans are to test the Mississippian Formation at 11,600°.

PAUL W. BURCHELL CHIEF PETROLEUM ENGINEER

PWB:cnp

cc: Jerry Long, District Engineer
U. S. Geological Survey
Box 1809
Durango, Colorado



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Form app Budget Bu	areau No.	42-R356.5.
LAND OFFICE		Lake	City
LEASE NUMBER	ู บ-03	31077	
LINIT	Big	India	ın

LESSEE'S MONTHLY REPORT OF OPERATIONS

Albuquerqu						inerda	e, New Mex	1CO 5/	103 Sign	Company Pubco Petroleum Corporation Original Signed By: Signed CHARLES E. RAMSEY, JR. Agent's title Area Production Manager					
12	SEC. A	ND 1/4	TWP.	RANGE	WELL No.	DAYS PRODUCED	BARREIS OF OIL	GRAVITY	Ou. Fr. or Gas (In thousands)	Gallons of Gasoline Recovered	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)			
NE	NW	24	308	25E	6							Set 7	@ 4600 5/8 cs 6 3/4"	g. @ 40	
									4					\$1.00 m	
										-					
							•				-				
		, d									.:			4	
			-						i						
			ı								5				
			1												

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329 (January 1950)



UN ED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPL ATE*
(Other instructions on re-

Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

DEPAR	MENT OF THE INTEI GEOLOGICAL SURVEY	RIOR verse side)	5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NC (Do not use this form for pro) Use "APPLI	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
OIL GAS WELL OTHER 2. NAME OF OPERATOR	Wildcat		7. UNIT AGREEMENT NAME Big Indian 8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR	um Corporatio	~	9. WELL NO.
4. LOCATION OF WELL (Report location	Albuquer que An clearly and in accordance with a	ny State requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface 665' FNL, 2	105' FWL Sec. 24-T30	S-R25E	Wildest 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 24-T308-R23E
14. PERMIT NO.	15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	6512 GR	:	San Juan Utah
16. Check A	••	Nature of Notice, Report, or C	Other Data UENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other)(Note: Report results	of multiple completion on Well
Encountered fresh was ± 3100 ft. Required 26.44, J+55 csg. @ 44	ter flow @ ± 2000 ft 12.5# mud to contro	nent details, and give pertinent dates ocations and measured and true vertice. and salt water flow (1. Set 132 jts, 7 5/8 665 sacks. Plug down	The state of the s
		sg. to 1800 psi for 30 ow plan to drill 6 3/4	

SIGNED CATTURE Area Production Manager DATE December 1, 1965

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:



RIG SAFETY INSPECTION

Name of Company Fuber Fotreleum Co.	Date Secondar 29, 1965
Name of Drilling Contractor	
Well Name and Number	Rig No. Field Fig Indian
Section 74 Twonship 30 Range 05 g	·
County Driller Driller	****
Number Present Toolpusher	on location
Date of last lost-time accident (ver a vear	·
Items causing lost-time accidents that have been	n corrected, or which need to be correcte
None	
Accidents or near accidents that have recently	occured on rig.
Noac	
Any new employees in crew Gate Have instruc	tions been given the new crew members
	(Good) (Poor)
Escape Line and Slide	Yes No
Ladders, Side Rails, Steps	<u>x</u>
Walk-Around Floor and Railing	XX
Engines Guarded	X
Rotary Drive GuardAll High Pressure	<u> </u>
Lines	x OK under 1,400 psi working pressu
Fire Hazards Controlled	
General Housekeeping	<u>*</u>
First Aid Kit	<u>x</u>
Blowout Preventer	CAMPAGE AND
Cellar Clean, No Debris	W
Cathead	<u> </u>
Unsafe practices that might cause a mishap, and	recommendations made for a safe method
of doing the job Mone visible	
Drillers, Toolpushers or Drilling Superintenden	ts reactions Very cooperative
Remarks * Pipe rame on blowout preventor were	tested and found in good working condition
TO BE BY TO ME STATE AND AND THE COLUMN AS A STATE OF THE COLUMN AS A S	
Deputy Inspector FAUL W. BURCEELL, UTAH OIL &	MANAGE CAMPAGE CAPPAGE CAPPAGE CONTRACTOR CO

January 18, 1966

Pubco Petroleum Corp.
Box 1419
Albuquerque, New Mexico 87103

Re: WellNo. Big Indian # 6
Sec. 24, T. 30 S., R. 25 E.,
San Juan County, Utah

Oct., Nov., Dec., 1965

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-lb (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

arh

Enclosures: Forms



Pubco Petroleum Gorporation

BOX 1419

ALBUQUERQUE, NEW MEXICO 87103

TELEPHONE (505) 247-8836 (505) 247-8837

January 24, 1966

The State of Utah
Oil & Gas Conservation Commission
348 South Temple
Suite 301
Salt Lake City, Utah 84111

Attention of Annette R. Hansen

Gentlemen:

Re: Big Indian #6
Sec. 24, T30S, R25E
San Juan County, Utah

In response to your request of January 18, 1966, attached are copies of all reports of operations on Big Indian #6 filed with the USGS and a report of December operations. These reports cover all operations of this well from spudding through December 31, 1965. We regret that we accidentally failed to furnish you with this information on time.

Very truly yours,

PUBCO PETROLEUM CORPORATION

Charles E. Ramsey, Jr. Area Production Manager

CERJr:t Enclosures

Form QGCC-1 b.	Form QGCC-1	/.
----------------	-------------	-----------

\ \ \ \ \	ATE OF UTAH SERVATION COMMISSIO	SUBMIT IN TRIPLICATE* (Other instructions on reverse side)	5. LEASE DESIGNATION AND SERIAL NO. U-031077
	Sals to drill or to deepen or plug banation FOR PERMIT—" for such pro-		6. IF INDIAN, ALLOTTEE OR TRIBE NAM!
1. OIL GAS			7. UNIT AGREEMENT NAME
WELL WELL X OTHER	Wildcat		Big Indian
2. NAME OF OPERATOR Dubos Potroloum Corn	oration		8. FARM OR LEASE NAME
Pubco Petroleum Corp	Oracion		Big Indian 9. WELL NO.
P. O. Box 1419, Albu	querque New Mexico		6
4. LOCATION OF WELL (Report location	clearly and in accordance with any S	tate requirements.*	10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface			Wildcat 11. SEC., T., R., M., OR BLK. AND
665' FNL, 2105' FWL	Sec. 24-T30S-R25E		Sec. 24-T30S-R25E
14. PERMIT NO.	15. BLEVATIONS (Show whether DF,	RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
•	6512 GR		San Juan Utah
16. Chada A	- P. T. I. P. A. N.	. (N.: D . C	
Cireck A	ppropriate Box To Indicate No	• •	
NOTICE OF INTE	NTION TO:	SUBSEQU	ENT REPORT OF:
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other)	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS	water shut-off FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) December 19 (Note: Report results	REPAIRING WELL ALTERING CASING ABANDONMENT* 65 Operations X of multiple completion on Well etion Report and Log form.)
DST #1 4551-4648 ft.	from 4076 to 7385 ft. , Hermosa S and. O pen t water. IHP 2167, IF	1 hr., ISI 1 hr., FS	I 1 hr.
×			
	1		
18. I hereby certify that the foregoing	Is true and correct		
SIGNED Charles E. Ram		a Production Manager	DATE Jan. 24, 1966
(This space for Federal or State of			
ADDROUGD DV			70.4 000
APPROVED BY	ANY.		DATE

B & CO

STA	TE OF UTAH	SUBMIT IN TRIPLICATE.		
OIL & GAS CONSI	ERVATION COMMISSIO	(Other instructions on reverse side)	5. LEASE DESIGNATION AS U-031077	ND SERIAL NO.
	CES AND REPORTS Of the deepen or plug back TION FOR PERMIT—" for such pro		6. IF INDIAN, ALLOTTEE	OR TRIBE NAME
1.		7-11-	7. UNIT AGREEMENT NAM	7
OIL GAS COTHER	Wildcat		Big Indian	
2. NAME OF OPERATOR			8. FARM OR LEASE NAME	,
Pubco Petroleum Corpora	ation		Big Indian	
3. ADDRESS OF OPERATOR			9. WELL NO.	······································
P. O. Box 1419, Albuque	erque, New Mexico		6	
4. LOCATION OF WELL (Report location cl See also space 17 below.)	-, -	tate requirements.	10. FIELD AND POOL, OR	WILDCAT
At surface			Wildcat	
665' FNL, 2105' FWL,	Sec. 24-T30S-R25E		11. SEC., T., R., M., OR BL SURVEY OR AREA	K. AND
005 IIII, 2105 I NI,	bee: 2# 150b R25h		24-T30 \$ -R25 E	
14. PERMIT NO.	15. BLEVATIONS (Show whether DF, R	er, GR, etc.)	12. COUNTY OR PARISH	18. STATE
	6512 GR		San Juan	Utah
16. Check Ap	propriate Box To Indicate Na	ture of Notice, Report, or O	ther Data	
NOTICE OF INTENT	MON TO:	subsequ	ENT REPORT OF:	
TEST WATER SHUT-OFF P	ULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WE	LL
FRACTURE TREAT	ULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CAS	ING
SHOOT OR ACIDIZE	BANDON*	SHOOTING OR ACIDIZING	ABANDONMENT	. X
REPAIR WELL C	HANGE PLANS	(Other) January, I	66 Operations	x
(Other)		(NOTE: Report results	of multiple completion or etion Report and Log form	Well
17. DESCRIBE PROPOSED OR COMPLETED OPER proposed work. If well is direction nent to this work.) *	tations (Clearly state all pertinent anally drilled, give subsurface location			
Drilled 6-3/4" hole to DST #2 10,023-10,244,pa DST #3 10,066-10,244, p DST #4 10,083-10,244 Mi ISI 1 hr., FSI 1 hr., R IHP 5,937, IFP 218, FFF Plugged and abandoned 1 4000-4100, 30 sacks.	cker failed backer failed lss Lime. Open 1 hr., Rec. 3750 ft. sulphur P 1961, ISIP 3391, FSI L-23-66. 9830-10,244,	, 45 min., water. IP 3391, FHP 5937 , 86 sacks. 6250-635	50, 30 sacks.	
•				
10. I have contife that the foregoing in	two and ashast			
18. I hereby certify that the foregoing is	Associate Association	on Duoduotion Managa	y 2_1_6	6
SIGNED (MUM) T'L	anny TITLE Are	ea Production Manage	r DATE 2-1-6	
(This space for Federal or State office	()			
APPROVED BYCONDITIONS OF APPROVAL, IF A	NY:	:	DATE	

From DEPARTMENT

DATE:

DIVISION

FILE:

To DEPARTMENT

SUBJECT:

DIVISION

July 14, 1966

Polico Petroleum Corporation P. O. Box 1419 Albuquerque, New Mexico

> Re: Well No. Big Indian #6, Sec. 24, T. 30 S., R. 25 E., San Juan County, Utah

Gentlemen:

We are in receipt of your Subsequent Report of Abandonment for the above mentioned well, however, the "Well Completion or Recompletion Report and Log" and electric and/or radioactivity logs are due and have not been filed with this Commission as required by our rules and regulations.

Please complete the enclosed Forms OCCC-3, "Well Completion or Recompletion Report and Log", in duplicate and forward them to this office as soon as possible. If electric and/or radioactivity logs were not run, please make a statement to that effect in order to keep our records accurate and complete. Would you also fill out the enclosed Forms OCCC-8-X.

Thank you for your cooperation in this request.


Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

arh

Enclosures: Forms



SUBMIT IN DUPLICATE*

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

(See other instructions on reverse side) 5. LEASE DESIGNATION AND SERIAL NO.

1	None of the last
	W
	\

WELL CO					•	U-03107	1
	MPLETION	OR RECO	MPLETION	REPORT AI	ND LOG*	6. IF INDIAN, A	LLOTTEE OR TRIBE NAM
1a. TYPE OF WEL	L: OIL WELL	GAS [DRY X	Other		7. UNIT AGREEM	ENT NAME
b. TYPE OF COM		7		Other		Big In	dian
NEW X	WORK DEEP-	PLUG BACK	DIFF. RESVR.	Other	<u> </u>	S. FARM OR LEA	SE NAME
2. NAME OF OPERAT	FOR		 			Big In	dian
Pubco Po	etroleum Con	rmoration				9. WELL NO.	
3. ADDRESS OF OPER	RATOR	porución		:		·	<i>l</i> ‡6
P. O. Bo	ox 869. A1bi	idilerdile.	N M	·			POOL, OR WILDCAT
	ox 869, Albu				ents)*	Wild	cat
At surface 6	65' fNL & 21	LO5' fWL,	Sec. 24-T30)S-R25E		11. SEC., T., R., 2	I., OR BLOCK AND SURVE
At top prod. int	erval reported belo	w Samo				OR AREA	
	_	Dame				Sec. 24	-T30S-R25E
At total depth	Same	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			*.		
			14. PERMIT NO.	DAT	E ISSUED	12. COUNTY OR PARISH	13. STATE
						San Juan	Utah
5. DATE SPUDDED	16. DATE T.D. REA	CHED 17. DAT	E COMPL. (Ready t	o prod.) 18. EL	EVATIONS (DF, R)	KB, RT, GR, ETC.)* 1	. ELEV. CASINGHEAD
10-11-65	1-21-66				12 Gr.		
O. TOTAL DEPTH, MD	& TVD 21. PLUG,	BACK T.D., MD &	TVD 22. IF MUL HOW M	TIPLE COMPL.,	23. INTERVAL DRILLED		CABLE TOOLS
10,244	<u> </u>	44 on		•		X	
. PRODUCING INTER	VAL(S), OF THIS CO	MPLETIONTO	P, BOTTOM, NAME (1	MD AND TVD)*			25. WAS DIRECTIONAL SURVEY MADE
The state of the s					taria. Description		Deviation S1
Dry	,				<u>. 1</u> 31 .		On 1
	ND OTHER LOGS RU	N				27.	WAS WELL CORED
	S-GRC, LL3					4 4 4	
CASING SIZE			ING RECORD (Rep				· · · · · · · · · · · · · · · · · · ·
	WEIGHT, LE./FT			LE SIZE		ING RECORD	AMOUNT PULLED
10-3/4	32 & 40	1217		-3/4"	150 sac1		None
7-5/8	26.4	4076	9-	-7/8"	665 sac	KS	None
			•				
).	1	<u> </u>	11:544				
		NER RECORD	1.0		30.	TUBING RECORD	
STEE			SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
-		OTTOM (MD)	· · · · · · · · · · · · · · · · · · ·		NT		- FACESE SET (MD)
None 1		SOTTOM (MD)			None		TACHER SET (MD)
None 1	TOP (MD) E		History				
None 1	TOP (MD) E				CID, SHOT, FR.	ACTURE, CEMENT SO	QUEEZE, ETC.
None 1	TOP (MD) E			DEPTH INTERV	CID, SHOT, FR.	ACTURE, CEMENT SO	QUEEZE, ETC.
None 1	TOP (MD) E				CID, SHOT, FR.		QUEEZE, ETC.
None 1	TOP (MD) E			DEPTH INTERV	CID, SHOT, FR.		QUEEZE, ETC.
None 1	TOP (MD) E			DEPTH INTERV	CID, SHOT, FR.		QUEEZE, ETC.
None 1	TOP (MD) E			None	CID, SHOT, FR.		QUEEZE, ETC.
None 1	TOP (MD) E ORD (Interval, size None	and number)		None Noune	CID, SHOT, FR.	AMOUNT AND KIND O	QUEEZE, ETC. F MATERIAL USED TUS (Producing or
None 1	TOP (MD) E ORD (Interval, size None	and number)	PROI	None Noune	CID, SHOT, FR.	AMOUNT AND KIND O	QUEEZE, ETC. F MATERIAL USED TUS (Producing or
None 1 PERFORATION RECO	TOP (MD) E ORD (Interval, size None	and number)	PROI	None Noune	CID, SHOT, FR.	AMOUNT AND KIND O	QUEEZE, ETC. F MATERIAL USED TUS (Producing or
None 1 PERFORATION RECO	TOP (MD) E ORD (Interval, size None	and number)	PROI	None None OUCTION umping—size and	CID, SHOT, FR. AL (MD) type of pump)	AMOUNT AND KIND O	QUEEZE, ETC. F MATERIAL USED TUS (Producing or
None PERFORATION RECO TE FIRST PRODUCTION Dry TE OF TEST	TOP (MD) E ORD (Interval, size None	choke size	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL	None None OUCTION umping—size and	type of pump)	WELL STA Shut-in	QUEEZE, ETC. F MATERIAL USED TUS (Producing or
None PERFORATION RECO TE FIRST PRODUCTI Dry TE OF TEST OW. TUBING PRESS.	TOP (MD) E ORD (Interval, size None None CASING PRESSURE	choke size	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL	DEPTH INTERV None None OUCTION umping—size and	type of pump)	WELL STA Shut-in	QUEEZE, ETC. F MATERIAL USED TUS (Producing or) GAS-OIL RATIO
None 1. PERFORATION RECO 3.* TE FIRST PRODUCTI Dry ATE OF TEST OW. TUBING PRESS.	TOP (MD) E ORD (Interval, size None None CASING PRESSURE	choke size	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL	DEPTH INTERV None None OUCTION umping—size and	type of pump)	WELL STA Shut-in	QUEEZE, ETC. F MATERIAL USED TUS (Producing or GAS-OIL RATIO GRAVITY-API (CORR.)
None 1. PERFORATION RECO 3.* TE FIRST PRODUCTI Dry ATE OF TEST OW. TUBING PRESS.	None None ROURS TESTED CASING PRESSURE AS (Sold, used for fu	choke size	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL	DEPTH INTERV None None OUCTION umping—size and	type of pump)	WELL STA Shut-in WATER—BBL.	QUEEZE, ETC. F MATERIAL USED TUS (Producing or GAS-OIL RATIO GRAVITY-API (CORR.)
None 1. PERFORATION RECO 3.* TE FIRST PRODUCTI Dry ATE OF TEST OW. TUBING PRESS.	None None ROURS TESTED CASING PRESSURE AS (Sold, used for fu	choke size	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL	DEPTH INTERV None None OUCTION umping—size and	type of pump)	WELL STA Shut-in WATER—BBL.	QUEEZE, ETC. F MATERIAL USED TUS (Producing or GAS-OIL RATIO GRAVITY-API (CORR.)
None 1. PERFORATION RECO 3.* ATE FIRST PRODUCTI DLY ATE OF TEST LOW. TUBING PRESS. 4. DISPOSITION OF GA 5. LIST OF ATTACHM	None None CASING PRESSURE AS (Sold, used for fullents	CHOKE SIZE CALCULATED 24-HOUR RAT cel, vented, etc.)	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL.	DUCTION umping—size and OIL—BÉL. GAS—MCF	type of pump) GAS—MCF.	WELL STA Shut-in WATER—BBL. ER—BBL. OII	QUEEZE, ETC. F MATERIAL USED TUS (Producing or GAS-OIL RATIO GRAYITY-API (CORE.)
None 1. PERFORATION RECO	None None CASING PRESSURE AS (Sold, used for fullents	CHOKE SIZE CALCULATED 24-HOUR RAT cel, vented, etc.)	PROI Flowing, gas lift, po PROD'N. FOR TEST PERIOD OIL—BBL.	DUCTION umping—size and OIL—BÉL. GAS—MCF	type of pump) GAS—MCF.	WELL STA Shut-in WATER—BBL.	QUEEZE, ETC. F MATERIAL USED TUS (Producing or GAS-OIL RATIO GRAYITY-API (CORR.)
None PERFORATION RECO TE FIRST PRODUCTI Dry TE OF TEST OW. TUBING PRESS. DISPOSITION OF GA LIST OF ATTACHM	None None CASING PRESSURE AS (Sold, used for fullents	CHOKE SIZE CALCULATED 24-HOUR RAT cel, vented, etc.)	PROI PROD'N. FOR TEST PERIOD OIL—BBL.	DUCTION umping—size and OIL—BÉL. GAS—MCF	type of pump) GAS—MCF. WAT	WELL STA Shut-in WATER—BBL. OIL TEST WITNESSED om all available recor	QUEEZE, ETC. F MATERIAL USED TUS (Producing or) GAS-OIL RATIO GRAYITY-API (CORE.) BY

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special-instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations.

should be listed on this form, see item 35.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 show the producing interval intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, or Federal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

| **Facks Cement***: Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

| **Facks Cement***: Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

. 3

			Cd			
37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF DEPTH INTERNAL TESTED, CUSH	MARY OF POROUS ZONES: show all important zones of porosity and contents thereof; depth interval tested, cushion used, time tool open, elowing	ROSITY AND CONTEN USED, TIME TOOL O	TS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING PEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	38.	GEOLOGIC MARKERS Elev. 6512	lev. 6512
× FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	
				NAM	MEAS. DEPTH	TRUE VERT, DEPTH
See I-ES						
ou.	•			Jurassic & Tri-		
DST #1				assic (undifier- entiated)	Surface	
Hermosa Sand	4551	4648	Open 1 hr., ISI 1 hr., FSI 1 hr.			
			(4)	Wingate	1424	5088
		: :	IHP 2167, IFP 161, FFP 1112, ISIP 1583, FSIP 1563, FHP 2150.	Chinle & Cutler	1650	4862
				} } } }))	1
DST #2	10,023	10,244	Packer failed.	Penn.	3635	2877
DST #3	10.066	10.244	Packer Failed.	7. 1.	6355	190
) = ())	1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11100) 1
DST #4	10,083	10,244	Open 1 hr., 45 min., ISI 1 hr., FSI 1 hr.	Lower Penn.	9880	3368
Miss. Lime			Rec. 3750 ft. sulphur water.			- "
, , , , , , , , , , , , , , , , , , ,		<i>p</i> :	IHP 5,937, IFP 218, FFP 1961, ISIP 3391,	Molas	9983	-3471
4.5			FSIP 3391, FHP 5937.	6 5.		
			Plugged and abandoned 1-23-66.	Miss.	10,004	-3492
	·	-	9830-10,244, 86 sacks. 6250-6350,	0C	 oʻli	
F 0			30 sacks. 4000-4100, 30 sacks.	•		
			Steel plate welded on top of 7-5/8 csg.	U	o de la companya de l	
				•	bil.	- -

FORM OGCC-8-X
FILE IN QUADRUPLICATE

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION 348 EAST SOUTH TEMPLE SUITE 301 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name	• & Nu	umberBig	Indian #6				
					P. O. Box 869		M. F 200
Operator_	Pubc	o Petroleum Co	rporation	_Address_	Albuquerque, N.M.	Phone_	247-8835
Contracto	or <u>M</u>	loran Bros., In	С.	_Address_	Wichita Falls, Tex	Phone_	322-5406
Location_	NE Ł	NW 1 Sec. 24	7. 30 N R. 2!	5_E	San Juan	c	ounty, Utah.
Water San			3	t.			
	De	epth		Volume		Qua	lity
From		То	Flow	Rate or	Head	Fresh o	r Salty
1. 144		······································		unknown		fr	esh
2. 1450		1650		unknown		fr	esh
3. 1980		2020	-	unknown		fr	esh
43000			2" t	o 3" stre	am	sa	1ty
5.						٠	
				. (Continued on reve	rse side	if necessary
Fôrmati 66	-Baks	: •				•	
		-					

Remarks:							

NOTE:	(a)				lease inform the		
	(b)				in Rule C-20, Ge and Procedure, (Se		
	(c)				of the above repo		
			y along with				
		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1					
		\$1 * 100 * 100 * 100 * 1					
Company of the same	Apply and a						
Operator_	19. Malika nakawa in masa ya	معمود منصد تحسيد ومعالم ومعالم ومعالم والمعالم المال المراد و مراد والمراجعة والمالة والمالة والمالة	man en ar de selektriska kilotoorie kilotoolika olev v yaga yaki eta kilo. Apidoori yosaa	Address		Phone_	(right) booting and right of many
Contracto	r			Acduese		Phone	
		The second secon	Control of the Contro		The state of the state of the second state of the second state of the state of the second state of the sec		Control of the second



DEPARTMENT OF THE INTERIOR (Other instructions verse side)

GEOLOGICAL SURVEY

SUBMIT IN TRIP

Form approved. Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

U-031977

CLINIDDA	NOTICEC	AND	DEDODTC	ON	WELLC	
2017DK Y	INOTICE2	ANU	REPORTS	UN	WELLS	

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME OIL WELL Dry Hole Big Indian OTHER 8. FARM OR LEASE NAME NAME OF OPERATOR Big Indian Unit Pubeo Petroleum Corporation LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)

At surface 9. WELL NO. 3. ADDRESS OF OPERATOR 10. FIELD AND POOL, OR WILDCAT Wildest 665' fRL & 2105' fWL, Sec. 24-T306-R25E 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

S.L. Maridian, San Jaan County, Utah.

Sec. 24-7308-R25E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6512 CR

12. COUNTY OR PARISH | 13. STATE

San Juan

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:				
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING WELL		
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING CASING		
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OR ACIDIZING	ABANDONMENT*	K	
REPAIR WELL		CHANGE PLANS		(Other)	<u> </u>		
(Other)				(Note: Report results of mu Completion or Recompletion B	Itiple completion on Well Report and Log form.)		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilling shut down and rotary tools moved off 1-23-66. Final P & A delayed pending use of well for fresh water by B.L.M.

Rigged up pulling unit. ren tubing, and plugged as follows:

- 1. Set 100 sks. coment plug 2430-2530 ft.
- Shot off 7-5/8" cer. @ 263 ft. and pulled.
- Set 100 sks. cement plug 220-300 ft.
- wed car, head and welded plate on 10-3/4" car.

Moved off pulling unit and cleaned and levelled location. for inspection 10-1-66.

8. I hereby certify that the foregoing is true and correct								
SIGNED Charles Elamsey	TITLE	Area	Production	Managor	DATE	October	13,	1966
(This space for Federal or State office use)								
APPROVED BY	TITLE				DATE			